

PDU20BHVIEC12R/PDU20BHVIEC12Ra  
PDU10BVHVIEC20F/PDU20BVHVIEC24F

### ENTRY-LEVEL POWER DISTRIBUTION

#### Provides reliable power distribution for connected equipment

Ideal for server room and IT applications, the Basic PDU Series is a power distribution device that delivers electricity from a single source to multiple devices. The products feature overload protection, external site ground pin, industrial-grade metal housing, adjustable mounting brackets, long input power cord, and cord retention tray.

#### APPLICATION





- Office
- Back Office
- Server Room
- Data Center
- Factory
- Workstations

#### SERIES FEATURES

- Overload Protection
- Enclosure Construction
- Industrial-grade Metal Housing
- Cord Retention Tray

#### PRODUCT CALLOUTS

1. AC Inlet
2. Output Circuit Breaker
3. Ground Stud
4. AC Outlets
5. Cord Retention Tray Screw Holes





## TECHNICAL SPECIFICATIONS

Model Name	PDU20BHVIEC12R	PDU20BHVIEC12Ra	PDU10BVHVIEC20F	PDU20BVHVIEC24F
<b>Input</b>				
Nominal Input Voltage (Vac)	200 - 240	200 - 240	200 - 240	200 - 240
Input Frequency (Hz)	50 / 60	50 / 60	50 / 60	50 / 60
Maximum Input Current (A)	16	16	10	16
Input Connector Type	IEC C20 x 1	IEC C20 x 1	IEC C14 x 1	IEC C20 x 1
Power Cord Length (m.)	3.05	3.05	3.05	3.05
<b>Output</b>				
Over Current Protection (Each Bank) (A)	16	16	10	16
Outlets - # of Bank(s) (Bank)	-	1	1	1
Outlet(s) - Total	12	12	20	24
Outlet(s) - Front	-	-	20	24
Outlet(s) - Rear	12	12	-	-
Outlet Type	IEC C13 x 12	IEC C19 x 2, IEC C13 x 10	IEC C19 x 4, IEC C13 x 16	IEC C19 x 4, IEC C13 x 20
<b>Physical</b>				
Installed Rack Height (U)	1	1	0	0
Cord Retention Tray	Yes	Yes	Yes	Yes
<b>Physical Size</b>				
Dimensions (WxHxD) (mm.)	445 x 44.5 x 38.1	445 x 44.5 x 38.1	44.5 x 914.4 x 38.1	44.5 x 1219.2 x 38.1
Weight (kg.)	0.9	0.9	2	2.7
<b>Environmental</b>				
Operating Temperature (°C)	0 - 35	0 - 35	0 - 35	0 - 35
Operating Relative Humidity (Non-condensing) (%)	0 - 95	0 - 95	0 - 95	0 - 95
<b>Certifications</b>				
Certifications*	CE, UL60950	CE, UL60950	CE, UL60950	CE, UL60950
RoHS	Yes	Yes	Yes	Yes

\*Certifications may vary according to different regions. Visit [www.cyberpower.com](http://www.cyberpower.com) for more information.  
#All specifications are subject to change without notice.